

## Placeholders for the GECAMed Letter Module

For GECAMed version 2.00.02 and higher

A series of new placeholders of the form [PATIENT\_HISTORY\_\*\_TEXT] was added, and a new category PATIENT\_CALENDAR

Category	Placeholder	Description
BILLING	[PAT_LAST_INVOICE_DATE]	The date of the last invoice of this patient
BILLING	[PAT_LAST_INVOICE_NUMBER]	The number of the last invoice of this patient
BILLING		Functions available to all BILLING placeholders
CONTACT	[CONT_CNS_CODE]	The CNS code of this contact
CONTACT	[CONT_COMMENT]	The comment to this contact
CONTACT	[CONT_EMAIL]	The email of this contact
CONTACT	[CONT_FAX]	The fax number of this contact
CONTACT	[CONT_FIRST_NAMES]	The contact person's first name
CONTACT	[CONT_FULL_ADDRESS]	The full address of this contact in several lines
CONTACT	[CONT_FULL_ADDRESS_SINGLE_LINE]	The full address of this contact in one line
CONTACT	[CONT_FULL_NAME]	The full name of this contact
CONTACT	[CONT_LAST_NAME]	The contact person's last name
CONTACT	[CONT_MOBILE]	The mobile number of this contact
CONTACT	[CONT_TEL_PRIVATE]	The private phone number of this contact
CONTACT	[CONT_TEL_WORK]	The working phone number of this contact
CONTACT	[CONT_TITLE]	The title of this contact
GENERAL	[GEN_DATE]	The current date
GENERAL	[GEN_TIME]	The current time
OFFICE	[OFFICE_ACCOUNT_LIST]	The list of the office's bank accounts.
OFFICE	[OFFICE_ALL_PHONE_AND_EMAIL]	The offices's phone numbers and email, on separate lines
OFFICE	[OFFICE_ALL_PHONE_AND_EMAIL_SINGLE_LINE]	The offices's phone numbers and email, on one single line
OFFICE	[OFFICE_CNS_CODE]	The CNS code of the medical office / practice
OFFICE	[OFFICE_EMAIL]	The email address of the medical office / practice
OFFICE	[OFFICE_FAX]	The fax number of the medical office / practice
OFFICE	[OFFICE_FULL_SITE_ADDRESS_SINGLE_LINE]	The office's site's full address. Formatted in a single line, suited e.g. as the return address
OFFICE	[OFFICE_INFORMATIONS]	Informations about the medical office / practice
OFFICE	[OFFICE_NAME]	The name of the medical office / practice
OFFICE	[OFFICE_PHONE]	The phone number of the medical office / practice
OFFICE	[OFFICE_WEBSITE]	The Web site of the medical office / practice
OFFICE_ADDRESS	[OFFICE_ADDRESS_COUNTRY]	The country of the office's address
OFFICE_ADDRESS	[OFFICE_ADDRESS_LOCALITY]	Locality of the office's address
OFFICE_ADDRESS	[OFFICE_ADDRESS_NB]	The number of the office's address
OFFICE_ADDRESS	[OFFICE_ADDRESS_STREET]	The street of the office's address
OFFICE_ADDRESS	[OFFICE_ADDRESS_ZIP]	ZIP code of the office's address
OFFICE_ADDRESS	[OFFICE_FULL_ADDRESS]	The office's full address. Formatted in an address block suited for the adress window of letters
OFFICE_ADDRESS	[OFFICE_FULL_ADDRESS_SINGLE_LINE]	The office's full address. Formatted in a single line, , suited e.g. as the return addresses
OFFICE_ADDRESS	[OFFICE_FULL_SITE_ADDRESS]	The office's site's full address. Formatted in an address block

Category	Placeholder	Description
		suited for the adress window of letters
PATIENT_ADDRESS	[PAT_ADDRESS_COUNTRY]	The country of the patient's address. Translated if possible.
PATIENT_ADDRESS	[PAT_ADDRESS_LOCALITY]	The locality of the patient's address
PATIENT_ADDRESS	[PAT_ADDRESS_NB]	The street number of the patient's address
PATIENT_ADDRESS	[PAT_ADDRESS_STREET]	The street of the patient's address
PATIENT_ADDRESS	[PAT_ADDRESS_ZIP]	The ZIP code of the patient's home address
PATIENT_ADDRESS	[PAT_FULL_ADDRESS]	The patient's full address. Formatted in an address block suited for the adress window of letters
PATIENT_ADDRESS	[PAT_FULL_NAME_AND_ADDRESS]	The name and the address of the patient
PATIENT_CAENDAR	[PAT_CAENDAR_FUTURE_APPOINTMENTS]	The up to 10 next appointments of this patient. Every appointment in
PATIENT_CAENDAR	[PAT_CAENDAR_FUTURE_APPOINTMENTS_SINGLE_LINE]	The up to 10 next appointments of this patient in one line, separated by a comma.
PATIENT_CAENDAR	[PAT_CAENDAR_LAST_APPOINTMENT]	The last appointment of the patient.
PATIENT_CAENDAR		Functions available to all PATIENT_CAENDAR placeholders
PATIENT_CONTACT	[PAT_CONTACT_ALL_PHONE_AND_EMAIL]	The billing address for the PATIENT. This can be different from the patient's own address. Therefore it's called the "guarantor's" address.
PATIENT_CONTACT	[PAT_CONTACT_ALL_PHONE_AND_EMAIL_SINGLE_LINE]	All the patient's phone numbers and email addresses, in one single
PATIENT_CONTACT	[PAT_CONTACT_EMAIL]	The patient's eMail address
PATIENT_CONTACT	[PAT_CONTACT_FAX]	The patient's FAX number
PATIENT_CONTACT	[PAT_CONTACT_MOBILE]	The patient's mobile phone number
PATIENT_CONTACT	[PAT_CONTACT_PHONE_PRIVATE]	The patient's private phone number
PATIENT_CONTACT	[PAT_CONTACT_PHONE_WORK]	The patient's phone number at work
PATIENT_GENDER	[PAT_GENDER]	The patient's gender
PATIENT_GENDER	[PAT_GENDER_ABBREV]	The patient's gender, as a one letter abbreviation
PATIENT_GENDER	[PAT_GENDER_FEMALE]	"x" if the patient's gender is "female"
PATIENT_GENDER	[PAT_GENDER_MALE]	"x" if the patient's gender is "male"
PATIENT_GENDER	[PAT_GENDER_OTHER]	"x" if the patient's gender is other than "male" or "female"
PATIENT_GUARANTOR	[PAT_FULL_GUARANTOR_ADDRESS]	The billing address for the patient. This can be different from the patient's own address. Therefore it's called the "guarantor's" address.
PATIENT_GUARANTOR	[PAT_FULL_GUARANTOR_NAME]	The name of the person who's goint to pay the bills. This can be different from the patient's himself. Therefore he's called the "guarantor".
PATIENT_GUARANTOR	[PAT_GUARANTOR_COUNTRY]	The country of the patient's guarantor
PATIENT_HISTORY	[PAT_HISTORY_30_DAYS]	All history entries of the patient during the last 30 days
PATIENT_HISTORY	[PAT_HISTORY_30_DAYS_TEXT]	All history entries of the patient during the last 30 days as text (not as
PATIENT_HISTORY	[PAT_HISTORY_3_DAYS]	All history entries of the patient during the last 3 days
PATIENT_HISTORY	[PAT_HISTORY_3_DAYS_TEXT]	All history entries of the patient during the last 3 days as text (not as
PATIENT_HISTORY	[PAT_HISTORY_7_DAYS]	All history entries of the patient during the last 7 days
PATIENT_HISTORY	[PAT_HISTORY_7_DAYS_TEXT]	All history entries of the patient during the last 7 days as text (not as
PATIENT_HISTORY	[PAT_HISTORY_ALL]	All history entries of the patient as a table
PATIENT_HISTORY	[PAT_HISTORY_ALL_TEXT]	All history entries of the patient as text instead of a table
PATIENT_HISTORY	[PAT_HISTORY_LAST_CONSULTATION]	The last incident of the PATIENT, that contains an SOAP entry or a
PATIENT_HISTORY	[PAT_HISTORY_LAST_CONSULTATION_TEXT]	The last incident of the PATIENT, that contains an SOAP entry or a
PATIENT_HISTORY	[PAT_HISTORY_LAST_MONTH]	All history entries of the patient during last month
PATIENT_HISTORY	[PAT_HISTORY_LAST_MONTH_TEXT]	All history entries of the patient during last month as text (not as a
PATIENT_HISTORY	[PAT_HISTORY_LAST_WEEK]	All history entries of the patient during the last week
PATIENT_HISTORY	[PAT_HISTORY_LAST_WEEK_TEXT]	All history entries of the patient during the last week as text (not as a

Category	Placeholder	Description
PATIENT_HISTORY	[PAT_HISTORY_THIS_MONTH]	All history entries of the patient during this month
PATIENT_HISTORY	[PAT_HISTORY_THIS_MONTH_TEXT]	All history entries of the patient during this month as text (not as a table).
PATIENT_HISTORY	[PAT_HISTORY_THIS_WEEK]	All history entries of the patient during this week
PATIENT_HISTORY	[PAT_HISTORY_THIS_WEEK_TEXT]	All history entries of the patient during this week as text (not as a table).
PATIENT_HISTORY	[PAT_HISTORY_TODAY]	All history entries of the patient of today
PATIENT_HISTORY	[PAT_HISTORY_TODAY_TEXT]	All history entries of the patient of today as text (not as a table).
PATIENT_HISTORY	[PAT_HISTORY_YESTERDAY]	All history entries of the patient of yesterday
PATIENT_HISTORY	[PAT_HISTORY_YESTERDAY_TEXT]	All history entries of the patient of yesterday as text (not as a table).
PATIENT_HISTORY		Functions available to all PATIENT_HISTORY placeholders
PATIENT_ID	[PAT_ID_EUROPE]	The patient's European ID
PATIENT_ID	[PAT_ID_FUTURE_NATIONAL]	The patient's future national ID
PATIENT_ID	[PAT_ID_GECAMED]	The patient's internal GECAMed ID
PATIENT_ID	[PAT_ID_HIS_RIS]	The patient's HIS/RIS ID
PATIENT_ID	[PAT_ID_LUX]	The patient's Lux ID
PATIENT_ID	[PAT_ID_MR]	The patient's MR identification number (MR = Medecin Referent)
PATIENT_ID	[PAT_SSN]	The patient's SocialSecurity Number
PATIENT_ID	[PAT_SSN_SUFFIX]	The suffix of the patient's SocialSecurity Number. i.e. everything
PATIENT_INFO	[PAT_BIRTHDATE]	The patient's birthdate
PATIENT_INFO	[PAT_BIRTHPLACE]	The patient's birthplace
PATIENT_INFO	[PAT_INSURANCE_COMPLEMENTARY]	The patient's complementary insurance policy
PATIENT_INFO	[PAT_INSURANCE_PRIMARY]	The patient's primary insurance company, full name
PATIENT_INFO	[PAT_INSURANCE_PRIMARY_SHORT]	The patient's primary insurance company
PATIENT_INFO	[PAT_MARITAL_STATUS]	The patient's marital status
PATIENT_MEDICAL	[PAT_ACTIVE_PROBLEMS]	The active problems of the patient as text as entered in GECAMed
PATIENT_MEDICAL		
PATIENT_MEDICAL	[PAT_ALLERGIES]	The allergies of the patient
PATIENT_MEDICAL	[PAT_ANTECEDENTS]	The antecedents of the patient
PATIENT_MEDICAL	[PAT_CHRONIC_TREATMENTS]	The chronic treatments of the patient as text as entered in GECAMed
PATIENT_MEDICAL		
PATIENT_MEDICAL		Functions available to all PATIENT_MEDICAL placeholders
PATIENT_NAME	[PAT_FIRST_NAMES]	The patient's first name
PATIENT_NAME	[PAT_FULL_NAME]	The patient's full name, with title
PATIENT_NAME	[PAT_LAST_NAME]	The patient's name
PATIENT_NAME	[PAT_MAIDEN_NAME]	The patient's given name
PATIENT_NAME	[PAT_TITLE_LONG]	The patient's long title: M., Mme, Mlle (FR) - Herr, Frau, Fräulein (DE) - Mr., Mrs. Ms. (EN)"Monsieur, Madame, Mademoiselle (FR) - Herr, Frau, Fräulein (DE) - Sir, Madam, Miss (EN)
PATIENT_NAME	[PAT_TITLE_SHORT]	The patient's short title: M., Mme, Mlle (FR) - Herr, Frau, Fräulein (DE) - Mr., Mrs. Ms. (EN)
PHYSICIAN	[PHYS_ALL_PHONE_AND_EMAIL]	The physician's phone numbers and email, on separate lines
PHYSICIAN	[PHYS_ALL_PHONE_AND_EMAIL_SINGLE_LINE]	The physician's phone numbers and email, in one single line
PHYSICIAN	[PHYS_CNS_CODE]	The physician's CNS code
PHYSICIAN	[PHYS_EMAIL]	The physician's eMail address
PHYSICIAN	[PHYS_FAX]	The physician's fax number
PHYSICIAN	[PHYS_FIRST_NAMES]	The physician's first names
PHYSICIAN	[PHYS_FULL_NAME]	The physician's full name, with title
PHYSICIAN	[PHYS_LAST_NAME]	The physician's last name
PHYSICIAN	[PHYS_MOBILE]	The physician's cell phone number
PHYSICIAN	[PHYS_PHONE]	The physician's phone number
PHYSICIAN	[PHYS_SPECIALTY]	The physician's medical specialty
PHYSICIAN	[PHYS_TITLE]	The physician's title
PHYSICIAN_ADDRESS	[PHYS_ADDRESS_COUNTRY]	The country of the physician's address
PHYSICIAN_ADDRESS	[PHYS_ADDRESS_LOCALITY]	The locality of the physician's address
PHYSICIAN_ADDRESS	[PHYS_ADDRESS_NB]	The street number of the physician's address
PHYSICIAN_ADDRESS	[PHYS_ADDRESS_STREET]	The street name of the physician's address
PHYSICIAN_ADDRESS	[PHYS_ADDRESS_ZIP]	The ZIP code of the physician's address
PHYSICIAN_ADDRESS	[PHYS_FULL_ADDRESS]	The physician's full address. Formatted in an address block suited for the address window of letters
PHYSICIAN_ADDRESS	[PHYS_FULL_ADDRESS_SINGLE_LINE]	The physician's full address. Formatted on a single line