

Installation Fails on Mac OS X

If the installation of GECAMed fails on Mac OS-X, the root user may not be activated on your system or you have the wrong Java version for the JBoss.

This is how to enable the root account on OS-X:

Enable the root user:

Here Apple describes for each Mac OS X version, how to enable the root user:

<http://support.apple.com/kb/ht1528>

After enabling the root user, please do a clean uninstall (see [Uninstall GECAMed on OS-X](#)) and reinstall GECAMed from scratch.

Fix the Java version used by the JBoss

If you have Java version 1.6 or higher installed on your System (default on Mac OS-X 10.6), the JBoss might not be able to be installed and / or run correctly.

To enable the JBoss to use the right Java version (Java 1.5), you can download and use the script in this ZIP file: [Java 1.5 for Mac](#)

It includes a prepared version of the Java JDK 1.5 and a script to install it on your mac. If you have GECAMed 2.01.00 or higher installed, you already have this ZIP file, located at «GECAMed Folder»/java/java_1.5_Mac.zip.

To execute the script, login with a user that has root privileges ("Admin"), open the terminal, go to the folder, where you have unzipped the file *java_1.5_mac.zip* and run the following command

```
sudo ./install_java_1.5.sh
```

You will be asked to enter your user password (you won't see that you type anything, but don't bother).

This script links all applications explicitly using java 1.5 (like the GECAMed JBoss server) to rely use a version of Java 1.5.

Be careful, because a Java update will reset the linking and you will have to execute the script again.

To make GECAMed reinstall Java 1.5 at start up if necessary, you can change the start script of the GECAMed server. To do so, download this zip: [gecamed_start_script_mac.zip](#), unzip it and replace the current start script with the one in the ZIP-file, by copying the *run.sh* file, included in the downloaded zip-file, into the folder «GECAMed Install Dir»/jboss-4.0.5.GA/bin and choose to replace the existing *run.sh* file in this folder (you need a user with root privileges to do that). By default the «GECAMed Install Dir» is */Applications/GECAMed/*.

To make this start up script update your java correctly, you need to have the file *java_1.5_mac.zip* unzipped in the folder «GECAMed Install Dir»/java.

If you do so, you don't need to manually reinstall Java 1.5 for GECAMed. The GECAMed server will check Java before starting and install it, if necessary.

This script is included in the GECAMed installer since version 1.5.00 (but not in the updater).

Installation Fails on Mac OS-X Server

After installing GECAMed on any Mac OS X Server version, GECAMed might not start. That is because the whole JBoss folder, which should be directly in the GECAMed folder, is missing.

A workaround is to install GECAMed on another system (it can be Mac, Windows or Linux, **but it must be the same version of GECAMed**) and copy the JBoss folder (located in the GECAMed install dir) from this system, into the GECAMed folder on the system, where the GECAMed installation failed. Afterwards you'll need to configure the JBoss for the new system.

To do so, copy and replace the following files («GECAMedDir» has to be replaced by the GECAMed install dir. By default this is */Applications/GECAMed*):

From	To
«GECAMedDir»/install/config/GECAMed-ds.xml	«GECAMedDir»/jboss-4.0.5.GA/server/default/deploy/
«GECAMedDir»/install/config/log4j.xml	«GECAMedDir»/jboss-4.0.5.GA/server/default/conf/
«GECAMedDir»/install/config/gecamed_server.properties	«GECAMedDir»/jboss-4.0.5.GA/server/default/conf/
«GECAMedDir»/install/autostart/lu.tudor.santec.gecamed_server.plist	/Library/LaunchDaemons/

If you haven't copied the JBoss folder from another Mac OS X system, you will also have to copy and replace the following files ...

From	To
«GECAMedDir»/install/jboss/run.sh	«GECAMedDir»/jboss-4.0.5.GA/bin/
«GECAMedDir»/install/autostart/jboss_ctl.sh	«GECAMedDir»/jboss-4.0.5.GA/bin/
«GECAMedDir»/install/config/jmx-console-users.properties	«GECAMedDir»/jboss-4.0.5.GA/server/default/conf/props/

... and change in the file

«GECAMedDir»/jboss-4.0.5.GA/server/default/conf/gecamed_server.properties the value of *DB_BACKUP_SCRIPT* from [...]scripts/gecamed_db_backup.bat to [...]scripts/gecamed_db_backup_OSX.sh.

After you copied all these files, open the terminal and execute the following commands:

- `sudo chmod +x «GECAMedDir»/jboss-4.0.5.GA/bin/jboss_ctl.sh`
- `sudo chmod 644 /Library/LaunchDaemons/lu.tudor.santec.gecamed_server.plist`
- `sudo chown root /Library/LaunchDaemons/lu.tudor.santec.gecamed_server.plist`
- `sudo launchctl load /Library/LaunchDaemons/lu.tudor.santec.gecamed_server.plist`

This will install and start the GECAMed server daemon, which will start the GECAMed service now and on system startup.

Verify Installation on Mac OS-X

On Mac OS-X installations tend to be more complex then on Windows. If GECAMed is obviously not running after the initial installation, or an upgrade, try the following:

1. If there is no icon to start the GECAMed client it can be started manually by typing the following URL in Safari (on the same computer where GECAMed was installed):
<http://localhost:8080/gecamed>
2. if this does not work, chances are that the main server component of GECAMed, the JBoss application server, is not running. To check whether JBoss is running or not type the following URL in Safari (on the same computer where GECAMed was installed): <http://localhost:8080>
If it works you'll see a welcome screen from the JBoss, otherwise you will see an "URL not found" error.
3. another way to test the availability of the JBoss server is by issuing the following command in a terminal session: `sudo ps ax | grep jboss`. You should get a list of 2 processes (one for the grep command, you just executed and one for the jboss)
4. If the JBoss isn't running, first try to reboot the computer. If this doesn't help, try to start the JBoss manually, using the **run.sh** command.

following the example below:

```
-----
Script started on Wed Oct 13 13:52:26 2010
MyComputer$ pwd
/Users/santec

MyComputer$ cd /Applications
MyComputer$ ls
Address Book.app      GECAMed              Sherlock.app
AppleScript           Image Capture.app    Stickies.app
Automator.app         Internet Connect.app System Preferences.app
Calculator.app         Mail.app              TextEdit.app
Chess.app             Optimage              Utilities
DVD Player.app        PostgreSQL 8.3        iCal.app
Dashboard.app         Preview.app           iChat.app
Dictionary.app        QuickTime Player.app iSync.app
Font Book.app         Safari.app            iTunes.app

MyComputer$ cd GECAMed

MyComputer$ ls
Uninstaller  install  jboss-4.0.5.GA  uninstall.ico
icon.ico    java     scripts

MyComputer$ cd jboss-4.0.5.GA/

MyComputer$ ls
Uninstaller  client  lib  server
bin          docs   scripts
```

```
MyComputer$ cd bin
```

```
MyComputer$ ls
```

classpath.sh	run.bat	shutdown.sh
jboss_init_hpux.sh	run.conf	twiddle.bat
jboss_init_redhat.sh	run.jar	twiddle.jar
jboss_init_suse.sh	run.sh	twiddle.sh
probe.bat	shutdown.bat	wstools.bat
probe.sh	shutdown.jar	wstools.sh

```
MyComputer$ ./run.sh
```

```
=====

JBoss Bootstrap Environment

JBOSS_HOME: /applications/GECAMed/jboss-4.0.5.GA

JAVA: java

JAVA_OPTS: -Dprogram.name=run.sh -Xms128m -Xmx512m
-Dsun.rmi.dgc.client.gcInterval=3600000
-Dsun.rmi.dgc.server.gcInterval=3600000

CLASSPATH: /applications/GECAMed/jboss-4.0.5.GA/bin/run.jar:/lib/tools.jar

=====
```

From:

<https://gm.apps.lu/> - **GECAMed - Gestion de Cabinets Médicaux**

Permanent link:

https://gm.apps.lu/faq/mac/install_fails

Last update: **2019/12/09 10:19**

